

Name of Pool

Address

County

Model Aquatic Health Code (5.7.5.2-5.7.5.3): Aquatic venues using a manual disinfectant feed system without a digital automated controller shall be tested prior to opening to the public and every 2 hours or every 4 hours if using an automated controller.

Date	Free Chlorine >1.0ppm	Combined Chlorine < 0.4ppm	Bromine	рН 7.2-7.8	Alkalinity	Calcium Hardness	Pool Drain Visibility Check	Stabilize r < 40	Number of Bathers	Pool Cleaned	Filter Pressure (psi)	Chemicals Added	Notes	Initials

Why Use Pool Shark H2O instead of a simple spreadsheet or paper log book?

• Substantial ROI(Return on Investment)

With Pool Shark H2O, you'll generally use far less chemicals across your pools than you're using today. Realtime remote access reduces the need to travel and be on site to verify the pool is being properly maintained.

Better Water Conditions and Improved Guest & Customer Satisfaction

Instant water analysis with chemical dosage recommendations specific to your pool/spa eliminates human errors, saves time and helps keep water clean, clear and safe! Alerts and notifications ensure staff and management are aware when pools need attention.

• Ease of Use

Pool Shark H2O reduces training and management hours across your team managing your pool(s). Each pool test takes less time, reducing real labor costs. Complete water chemical test (10 parameters), logging and dosage recommendations done in as little as 60 seconds when integrated with LaMotte Spin Touch.

Stronger Risk Management & Reduced Liability

Paper logs can easily be lost or destroyed by water which could result in fines or closure by the health department. Electronic logs provide better accountability, as they cannot be retroactively added or changed.

Try Pool Shark H2O out at your own facility with our 30 day, no obligation, free trial at <u>www.poolsharkh2o.com</u> and see for yourself!



